## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Xavax

Supplier's address: Produktmanagement, Dresdner Strasse 9, 86653 Monheim, DE

## Model identifier: 00112473

## Type of light source:

Lighting technology used:	HL	Non-directional or directional:	NDLS		
Light source cap-type	R7S				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

		Product para	lielers			
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consump mode (kWh/1000 up to the nearest	0 h), rounded	120	Energy efficiency class	G		
Useful luminous indicating if it ref in a sphere (360 cone (120º) or in (90º)	ers to the flux )º), in a wide	2 250 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 950		
On-mode po expressed in W	wer (P <sub>on</sub> ),	120,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked standl for CLS, express rounded to the se	ed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	100		
Outer	Height	78	Spectral power	See image		
	Width	12	distribution in the	in last page		
without	Depth	12	-			
I	-	I	1	Page 1 /		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	150
		Chromaticity coordinates (x and y)	0,449 0,410

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

